

STATE OF MICHIGAN)
COUNTY OF ST. JOSEPH) ss.

Arteria C. Taylor, being duly sworn, says, I am Business Manager of the Three Rivers Commercial-News, a daily newspaper printed and circulated in said county and owned by Three Rivers Commercial, Inc. The annexed is a printed copy of a notice which was published in said newspaper on the following dates, to wit:

EGLE
MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY
WATER RESOURCES DIVISION
PERMIT

Issued To:

Lake Temple Improvement Board
PO bx 68
112 Jarke Street
Centerville, MI 49032

Permit No.: WRP038120 v.1
Submission No.: HPG-HNAZ-SRXXJ
Site Name: Lake Temple Laminar Flow Aeration-Centerville: 14-75-0024-P
Issued: October 24, 2023
Revised:
Expires: October 24, 2028

This permit is being issued by the Michigan Department of Environment, Great Lakes, and Energy (EGE), Water Resources Division, under the provisions of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA); specifically:

Part 301, Inland Lakes and Streams Part 323, Shorelands Protection and Management
 Part 303, Wetlands Protection Part 325, Great Lakes Submerged Lands
 Part 315, Dam Safety Part 353, Sand Dunes Protection and Management
 Part 31, Water Resources Protection (Floodplain Regulatory Authority)

EGE certifies that the activities authorized under this permit are in compliance with the State Coastal Zon Management Program and certifies without conditions under the Federal Clean Water Act, Section 401 that the discharge from the activities authorized under this permit will comply with Michigan's water quality requirements in Part 31, Water Resources Protection, of the NREPA and associated administrative rules, where applicable.

Permission is hereby granted, based on permittee assurance of adherence to State of Michigan requirements and permit conditions, to:

Authorized Activity:

Conduct a controlled draw down of Lake Temple to a maximum of 1 vertical feet from the existing legal lake elevation of 828.5 feet, to an elevation of 827.5 feet. All work shall be done in accordance with the plans and conditions attached.

October 27, A.D. 20 23
 November 09, A.D. 20 23
 November 10, A.D. 20 23
 _____ A.D. 20 ____
 _____ A.D. 20 ____
 _____ A.D. 20 ____
 _____ A.D. 20 ____
 _____ A.D. 20 ____
 _____ A.D. 20 ____

Arteria Taylor
 Arteria C. Taylor

Subscribed and sworn to before me
 this 13th day of
 November A.D. 20 23